

??

Designation	Technology	Nozzle size	Fluid output	Part number
FPRO G HVLP-12-Lvb	HVLP	1.2	105 cc/mn (3.6 oz/mn)	136797412
FPRO G HVLP-13-Lvb	HVLP	1.3	126 cc/mn (4.3 oz/mn)	136797413
FPRO G HVLP-14-Lvb	HVLP	1.4	150 cc/mn (5.1 oz/mn)	136797414
FPRO G HVLP-15-Lvb	HVLP	1.5	170 cc/mn (5.7 oz/mn)	136797415
FPRO G HVLP-18-Lvb	HVLP	1.8	200 cc/mn (6.8 oz/mn)	136797418
FPRO G HVLP-22-Lvb	HVLP	2.2	280 cc/mn (9.5 oz/mn)	136797422
FPRO G LVLP-12-Mvb	LVLP	1.2	105 cc/mn (3.6 oz/mn)	136790312
FPRO G LVLP-13-Mvb	LVLP	1.3	126 cc/mn (4.3 oz/mn)	136790313
FPRO G LVLP-14-Mvb	LVLP	1.4	150 cc/mn (5.1 oz/mn)	136790314
FPRO G LVLP-15-Mvb	LVLP	1.5	170 cc/mn (5.7 oz/mn)	136790315
FPRO G LVLP-18-Mvb	LVLP	1.8	200 cc/mn (6.8 oz/mn)	136790318
FPRO G LVLP-22-Mvb	LVLP	2.2	280 cc/mn (9.5 oz/mn)	136790322
FPRO G CONV-12-Mvb	CONV	1.2	105 cc/mn (3.6 oz/mn)	136794312
FPRO G CONV-13-Mvb	CONV	1.3	126 cc/mn (4.3 oz/mn)	136794313
FPRO G CONV-14-Mvb	CONV	1.4	150 cc/mn (5.1 oz/mn)	136794314
FPRO G CONV-15-Mvb	CONV	1.5	170 cc/mn (5.7 oz/mn)	136794315
FPRO G CONV-18-Mvb	CONV	1.8	200 cc/mn (6.8 oz/mn)	136794318
FPRO G CONV-22-Mvb	CONV	2.2	280 cc/mn (9.5 oz/mn)	136794322

??

Designation	Part number
Vortex	129140031
Gravity cup FPro G 0	139790100
GSP kit with cup	139798200
Disposable cup	138790111
Pack of Smart Cups - 750mL - filter 125µm (x48)	138790112
Pack of Smart Cups - 750mL - filter 190µm (x48)	138790113
Adaptor Smart Cups FPro G, M22 G, S3 G	138790001

??

Designation	Part number
TIP + NEEDLE 12 - FPRO G	131799912
TIP + NEEDLE 13 - FPRO G	131799913
TIP + NEEDLE 14 - FPRO G	131799914
TIP + NEEDLE 15 - FPRO G	131799915
TIP + NEEDLE 18 - FPRO G	131799918
TIP + NEEDLE 22 - FPRO G	131799922
Aircap FPRO G CONV-1222-Mvb	132794100
Pack Anti-drip diaphragm FPro G (x5)	139790105
Aircap FPRO G LVLP-1222-Mvb	132790200
Aircap FPRO G HVLP-1222-Lvb	132790100



13 chemin de Malacher - CS 70086
38243 MEYLAN Cedex - FRANCE
Phone: +33 (0)4 76 41 60 60 - Fax: +33 (0)4 76 41 60 90
www.sames.com

Sames reserves the right to modify its equipment or specifications without further notice. Document, products and pictures shown are not contractual. Adressé en une marque déposée. - Ré. n° 1 222 301 - 202310 -

FPro G

Manual Airspray Spray Gun Gravity

?????? / ?? ?



PREMIUM INDUSTRIAL FINISHING FOR ALL !

- High spraying quality
- Modular gun for a large range of application
- Ergonomic and robust design

Markets



BOND • PROTECT • BEAUTIFY



FPro G

Manual Airspray Spray Gun Gravity

FPro G is THE gravity-fed spray gun solution to tackle material loss issues. Moreover, it delivers a very high finish quality for low viscosity material and with an excellent operator comfort. Perfectly balanced, the FPro G, gravity paint spray gun, provides a superior finish for all professional painters in the industrial markets.

The FPro G from **Sames** is the new star in the world of low pressure gravity-feed spray guns. This new technological gravity gun, available in HVLP, LVLP and Conventional technologies, is the best choice to ally high finishing quality and comfort of use. Once more, **Sames** avails of its Vortex technology to improve the transfer efficiency and the homogeneity of the spray pattern. More than a simple spray gun, the FPro G gathers high spraying quality and low air consumption to fit all the applications and requirements of professional painters.

Sames engineers have particularly worked on the FPro G gun body to be well balanced, ergonomic and light. The whole conception of the FPro G makes it perfect for an effortless spraying experience and an easy cleaning after your daily work. This new spray gun introduces also a brand new feature which leads to the lightest trigger pull on the market: the magnet assisted trigger (MAG-trigger). This technology enhanced once more the fact that **Sames** cares about the painters comfort.

Compatible with the SMART Cups and the GSP kit, the FPro G fits all the painters' needs. The large range of accessories offers a modular gun for all your needs !




?? ???

??	??	??
?? ? ? ? ?	105 (3.6)	cc/min (oz/min)
?? ? ? ? ?	6 (87)	bar (psi)
?? ? ? ? ?	50 (122)	°C (°F)
?? ? ? ? ?	M 1/4 NPS/BSP compatible	
?? ? ? ? ? ? ?	♦	
?? ? ? ?	83	dbA
?? ? ? CONV (2,5~3,5bar / 36 - 51psi??)	23.8 (14)	m3/h (cfm)
?? ? ? ? ? HVLP/LVLP (1,5~2,5bar / 22~36psi)	21.3/14.9 (12.5/8.8)	m3/h (cfm)
??	445 (15.7)	g (oz)
Cup capacity	0.6 (0.16)	l (gal)

sames kremlin



??



MAG-trigger



HVLP



????? LVLP



?? ? ? ? ? ? ?



????

Performance

- 1 Reduced overspray and perfectly balanced fan
- 2 Patent pending Vortex spin effect delivers a perfect atomization
- 3 Three different adjustment knobs to get the perfect spray pattern in every conditions
 - ♦ Large range of projectors for all applications
 - ♦ Three atomization and aircaps technologies: Conventional, LVLP and HVLP available versions
 - ♦ Compatible with a large range of materials, even the UV paints

Productivity

- 4 Ergonomic design with comfortable shapes
- 5 Redesigned gravity center for no effort on the wrist and reduced repetitive strain injuries
- 6 EZ-Adjust aircap for easy rotation adjustment without loosening the nut
- 7 The lightest trigger pull on the market thanks to the MAG-trigger, an innovative new technology
- 8 Improved trigger design to offer greater comfort

Sustainability

- 9 New lid designed for frequent color change and easy cleaning
- 10 Patent pending anti-drip diaphragm to protect the cup lid from the paint
- 11 Angle fitting for reduced hose strain
- 12 Large feeding choice: disposable cups or GSP kit for viscous application
 - ♦ No dead zones for an easy cleaning
 - ♦ Optimization of the spare parts inventory to simplify the maintenance
 - ♦ Designed from high-end materials for long service life



??

